

WHAT IS CLAIMED IS:

Sub. a' 1. A method for expressing a protein selected from a membrane-bound enzyme, a substrate of the membrane-bound enzyme, a membrane-bound enzyme activator, a membrane-bound transport protein, a channel protein, a membrane structural protein, a protein involved in adhesion, a protein involved in antigen presentation, or a protein involved in formation of high dimensional structure of a protein by culturing a host infected with at least one type of recombinant baculovirus which contains a gene encoding said protein, wherein said protein is expressed in a budded baculovirus released from said host.

2. A method for preparing a protein which comprises:  
culturing a host infected with a recombinant baculovirus which contains a gene encoding a protein selected from a membrane-bound enzyme, a substrate of the membrane-bound enzyme, a membrane-bound enzyme activator, a membrane-bound transport protein, a channel protein, a membrane structural protein, a protein involved in adhesion, a protein involved in antigen presentation, or a protein involved in formation of high dimensional structure of a protein;  
recovering a budded baculovirus released from said host; and  
recovering the protein expressed from said budded baculovirus.

3. The method of claim 1 wherein the protein selected from a membrane-bound enzyme, a substrate of the membrane-bound enzyme, a membrane-bound enzyme activator, a membrane-bound transport protein, a channel protein, a membrane structural protein, a protein involved in adhesion, a protein involved in antigen presentation, or a protein involved in formation of high dimensional structure of a protein is a membrane-bound protein of a cell organelle.

4. The method of claim 2 wherein the protein selected from a membrane-bound

enzyme, a substrate of the membrane-bound enzyme, a membrane-bound enzyme activator, a membrane-bound transport protein, a channel protein, a membrane structural protein, a protein involved in adhesion, a protein involved in antigen presentation, or a protein involved in formation of high dimensional structure of a protein is a membrane-bound protein of a cell organelle.

5. The method of claim 1 wherein the protein selected from a membrane-bound enzyme, a substrate of the membrane-bound enzyme, a membrane-bound enzyme activator, a membrane-bound transport protein, a channel protein, a membrane structural protein, a protein involved in adhesion, a protein involved in antigen presentation, or a protein involved in formation of high dimensional structure of a protein is SREBP2, HMG-CoA reductase, S1P, or SREBP cleavage activating protein.

6. The method of claim 2 wherein the protein selected from a membrane-bound enzyme, a substrate of the membrane-bound enzyme, a membrane-bound enzyme activator, a membrane-bound transport protein, a channel protein, a membrane structural protein, a protein involved in adhesion, a protein involved in antigen presentation, or a protein involved in formation of high dimensional structure of a protein is SREBP2, HMG-CoA reductase, S1P, or SREBP cleavage activating protein.

7. The method of claim 1 wherein the host is an insect cell or an insect larva.

8. The method of claim 2 wherein the host is an insect cell or an insect larva.

9. A budded baculovirus which is released from a host infected with at least one type of baculovirus which contains a gene encoding a protein selected from a membrane-bound enzyme, a substrate of the membrane-bound enzyme, a membrane-bound enzyme activator, a membrane-bound transport protein, a channel protein, a membrane structural protein, a protein involved in adhesion, a protein

involved in antigen presentation, or a protein involved in formation of high dimensional structure of a protein.

10. A method for screening a chemical substance which comprises measuring interaction between said protein and other chemical substances using the budded baculovirus of claim 9.

11. The method of claim 10 wherein a drug which inhibits or activates a protein selected from a membrane-bound enzyme, a substrate of the membrane-bound enzyme, a membrane-bound enzyme activator, a membrane-bound transport protein, a channel protein, a membrane structural protein, a protein involved in adhesion, a protein involved in antigen presentation, or a protein involved in formation of high dimensional structure of a protein, is screened.

12. A method for screening a chemical substance which activates or inhibits the function of two or more proteins selected from a membrane-bound enzyme, a substrate of the membrane-bound enzyme, a membrane-bound enzyme activator, a membrane-bound transport protein, a channel protein, a membrane structural protein, a protein involved in adhesion, a protein involved in antigen presentation, or a protein involved in formation of high dimensional structure of a protein, by co-infecting two or more different types of recombinant baculoviruses, each of which contains a gene encoding a different type of said protein; and co-expressing the function of said two or more proteins.

13. A method for producing an antibody against a protein selected from a membrane-bound enzyme, a substrate of the membrane-bound enzyme, a membrane-bound enzyme activator, a membrane-bound transport protein, a channel protein, a membrane structural protein, a protein involved in adhesion, a protein involved in antigen presentation, or a protein involved in formation of high dimensional

structure of a protein, wherein the budded baculovirus of claim 9 is used as an immunogen.

14. An antibody which is produced by the method of claim 13.

Patent 1244000